



Department of Plastic Surgery

Going home after insertion of a tissue expander **Some advice on how to take care of yourself after breast surgery**

Your wound

When you are discharged you may be referred to your district nurse to check the wounds and dressings. We will also give you a hospital appointment to attend to check your wounds. Use water to clean the area around your wound. Do not use scented soap, talc, perfume or deodorant until your wound is fully healed. If you have been advised that you can shower, do not allow the full force of the shower water directly onto your wound. Check the temperature of the water before getting into the shower as the sensation in the breast area may be altered. If you still have dressings on, please make sure these are replaced. Most stitches are dissolvable and do not need to be removed.

You may experience some discomfort at first. Rest and taking a mild painkiller should help. If you experience severe discomfort or pain, contact your own doctor, ward or a surgical team member.

Try and sleep in a slightly upright position in bed with the aid of pillows for the first couple of weeks to help reduce any swelling in your breasts. Avoid sleeping face down for at least one month.

When fully healed, it is helpful to rub a moisturising cream into your wound to keep the skin supple.

Swelling

You may notice swelling around the operation site. This may be a collection of fluid which is the same kind of fluid removed by any drains you may have had. It is not a serious problem and nothing you should worry about. However, if you experience any type of increasing swelling after your operation, please contact the ward or a member of the surgical team immediately. (Phone numbers page 3).

Returning to have the tissue expander inflated

Inflation of the expander is carried out as an outpatient and is usually completed over a number of weeks. Saline is injected through a port which is placed under the skin with a tube leading to the tissue expander. In some cases the port is located in the actual expander so the saline can be injected directly. Once the port has been located, saline is injected to inflate the expander, allowing the skin to stretch. This process takes approximately 30 minutes. You may feel pain and discomfort once the expander has been inflated for approximately 48 hours. Simple painkillers should help to ease the discomfort.

Appointments will be made for further expansion of the implant, normally at no less than weekly intervals.

Clothes

You can wear normal clothes with a good supporting bra that does not have under-wires or padding as soon as you feel able to. If your chest wall is swollen, tender or sensitive, a maternity sleep bra, crop top or vest may provide a little support until you are able to wear a proper bra again in approximately 12 weeks.

Work and house work

You will need someone who can help you with cooking, cleaning, ironing and heavy shopping during this time, but you should not feel ill or need to stay in bed.

You should not return to work for approximately 2 to 3 weeks depending on your job role and its demands. You should discuss returning to work with a member of your surgical team first.

Leisure, sport and driving

You should build up your usual social activities gradually. There is no sport or leisure pursuit that is permanently ruled out following your operation, but for more physical activities you should wait 4 to 8 weeks following surgery. If you are not sure about when it is safe to begin an activity, ask your GP, breast surgeon, ward or surgical nurse for advice.

Do not drive for at least 4 weeks following your surgery. In the interests of road safety, you must be sure that you can safely control your vehicle at all times, for example, be able to do an emergency stop safely. However, we advise that you check with your insurance company if you have an exclusion clause on your policy related to major surgery. Some insurance companies insist on a 'fitness to drive' report from your GP. Check with your doctor if you are in any doubt. You can also contact the DVLA for advice on www.dvla.gov.uk or call **0870 600 0301**.

Changes to your body following surgery

Your 'new' breast(s) may be tender, with some bruising and swelling at first. When fully healed and any bruising and swelling has settled, your wound should fade to a thin line outlining the breast area. Breast surgery will not affect your physical ability to have sex and you may resume as soon as you and your partner feel comfortable.

When to get help

Contact your GP or surgeon immediately if you have any symptoms you were not expecting or if you experience any severe pain. Possible warning signs include:

- severe pain in your breast(s)
- an intense burning pain in your breast(s)
- unusual, unexpected or excessive swelling in or around your breast(s)
- a smelly or coloured discharge from your wounds
- red and inflamed breast (s)
- a high temperature (fever) of 38°C (100°F) or more
- any lump or aching that are causing you concern
- excessive bleeding
- deflated breast(s)

Be breast aware

It is still important to be breast aware after any type of breast reconstruction. Once your breasts have settled down, get to know the way they look then if you notice any changes you

should tell a member of your specialist team or GP as soon as possible. If there is any concern that your cancer has come back, your specialist may organise further tests. Some of the changes to look for are: a lump or lumpy area in or around the breast or armpit, a change in texture in and around the breast or swelling in the upper arm.

Where to get support and advice

Contacts

If you are worried or upset or have any questions, do not think that they are unimportant or trivial, please ask about anything that worries you. Speak to your GP, or speak to your hospital consultant at your next clinic appointment.

If you have any concerns, please contact us on:

Secretaries:

- Mr Lambe **0161 918 7455**
- Mr Oudit **0161 446 3375**
- Mr Kosutic **0161 918 7054**
- Mr Mowatt **0161 446 3368**

Plastic surgery nursing team	0161 918 7586 or 7587
Ward 1	0161 918 2157
Wendy Winn, breast reconstruction specialist nurse	0161 918 2196
The Christie Hotline	0161 446 3658

Other useful numbers:

- Complementary therapy team at The Christie **0161 446 8236**
- Physiotherapists at The Christie **0161 446 3795**
- Psychotherapy and counselling service at The Christie **0161 446 8038**
- Cancer information centre at The Christie **0161 446 8100**

Further support and advice

- Breast Cancer Care
Lines are answered by specialist nurses. Breast Cancer Care produces a range of booklets on breast cancer and its treatment which are free to patients. They also run a volunteer service where you can contact women who have already had breast cancer.
Free phone: **0808 800 6000** (10am - 5pm, Monday to Friday)
www.breastcancercare.org.uk
- Cancer Aid and Listening Line
This group provides support and advice, 365 days a year, to patients with cancer, their partners and families.
Tel: **0161 205 7780**
- Macmillan Cancer Support
Tel: **0808 808 00 00**
www.macmillan.org.uk
- DVLA
Tel: **0870 6000 301**
www.dft.gov.uk/dvla/vehicles

If you need information in a different format, such as easy read, large print, BSL, braille, email, SMS text or other communication support, please tell your ward or clinic nurse.

We try to ensure that all our information given to patients is accurate, balanced and based on the most up-to-date scientific evidence. If you would like to have details about the sources used please contact **patient.information@christie.nhs.uk**

© 2017 The Christie NHS Foundation Trust. This document may be copied for use within the NHS only on the condition that The Christie NHS Foundation Trust is acknowledged as the creator.

For more information about The Christie and our services, please visit **www.christie.nhs.uk** or visit the cancer information centres at Withington, Oldham or Salford.

Contact The Christie Hotline for
urgent support and specialist advice

**The Christie Hotline:
0161 446 3658**

Open 24 hours a day, 7 days a week

The Christie NHS Foundation Trust
Wilmslow Road
Withington
Manchester M20 4BX

Tel: 0161 446 3000
www.christie.nhs.uk

The Christie Patient Information Service
June 2017 - Review June 2020

